

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20050010472"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 10:40
L2	38	(@AD < "20011211") AND (order\$ near10 list near10 offers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:09
L3	9	(@AD < "20011211") AND (order\$ near10 list near10 offers) and profit	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:09
L4	0	(@AD < "20011211") AND (rank\$ near10 list near10 offers) and profit	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:10
L5	291	(@AD < "20011211") AND (flag\$ or mark\$) near10 (potential near10 (customer or consumers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:11
L6	115	(@AD < "20011211") AND (flag\$ or mark\$) near10 (potential near10 (customer or consumers)) and (offers or promotions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:12
L7	25	(@AD < "20011211") AND (flag\$ or mark\$) near10 (potential near10 (customer or consumers)) and (offers or promotions) and (array or (bit near10 string))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:12

L8	593571	(@AD < "20011211") AND (flag\$ or mark\$) near10 (potential near10 (customer or consumers)) and (offers or promotions) and (array or (bit near10 string)) and (sort\$ or rank\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:12
L9	16	(@AD < "20011211") AND (flag\$ or mark\$) near10 (potential near10 (customer or consumers)) and (offers or promotions) and (array or (bit near10 string)) and (sort\$ or rank\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:13
L10	2	(@AD < "20011211") AND (flag\$ or mark\$) near10 (potential near10 (customer or consumers)) and (offers or promotions) and (array or (bit near10 string)) and ((sort\$ or rank\$) near10 list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:15
L11	5	(@AD < "20011211") AND (bit near10 string) and (list near10 offers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:31
L12	1	(@AD < "20011211") AND (bit near10 array) and (list near10 offers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:38
L13	0	(@AD < "20011211") AND (bit near10 array) and (list near10 promotions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:38
L14	356	(@AD < "20011211") AND (bit near10 array) and (sort\$ or rank\$) and (offers or promotions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:39

L15	53	(@AD < "20011211") AND (bit near10 array) and (sort\$ or rank\$) and (offers or promotions) and profit	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:39
L16	16	(@AD < "20011211") AND (bit near10 array) and ((sort\$ or rank\$) near10 list\$) and (offers or promotions) and profit	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:40
L17	1	(@AD < "20011211") AND (bit near10 array) and (remaining near10 offers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:42
L18	23	(@AD < "20011211") AND (bit and array) and (remaining near10 offers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:43
L19	30	(@AD < "20011211") AND (bit and array) and (list near10 offers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:43
L20	9	(@AD < "20011211") AND (bit and array) and (list near10 offers) and (maximum near10 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:44
L21	4	(@AD < "20011211") AND (maximum near10 number near10 allowed near10 (offers or promotions))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:45
L22	1873	(@AD < "20011211") AND ((rank\$ or sort\$) near10 list) and (promotion or offers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:46
L23	280	(@AD < "20011211") AND ((rank\$ or sort\$) near10 list) and (promotion or offers) and array and vector	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:46

L24	47	(@AD < "20011211") AND ((rank\$ or sort\$ near10 list) and (promotion or offers) and array and vector and truncat\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:47
L25	25	(@AD < "20011211") AND (rank\$ or sort\$) and (list near10 (promotion or offers)) and array and vector and truncat\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:49
L26	1	(@AD < "20011211") AND (flag\$ near10 potential near10 customers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:51
L27	4	(@AD < "20011211") AND ((identif\$ near10 (consumers or customers)) near10 received near10 offer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 11:53
L28	16	(@AD < "20011211") AND ((bit near10 (string or vector or array)) near10 offers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:06
L29	3551	(@AD < "20011211") AND (bit near10 (string or vector or array)) and (offers or promotion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:07
L30	4	(@AD < "20011211") AND (bit near10 (string or vector or array)) and (offers or promotion) and (remaining near10 (offers or promotions))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:07
L31	187	(@AD < "20011211") AND (bit near10 (string or vector or array)) and (offers or promotion) and (number near10 (offers or promotions))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:08

L32	8	(@AD < "20011211") AND ((bit near10 (string or vector or array)) same (number near10 (offers or promotions))) and (offers or promotion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:09
L33	2500	(@AD < "20011211") AND ((bit near10 (string or vector or array)) near10 length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:13
L34	17	(@AD < "20011211") AND ((bit near10 (string or vector or array)) near10 length) and (number near10 (offers or promotions))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:13
L35	1	(@AD < "20011211") AND ((bit near10 (string or vector or array)) near10 length) and (total near10 remaining) and (offers or promotions or incentives)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:25
L36	55	(@AD < "20011211") AND ((string or vector or array) near10 length) and (total near10 remaining) and (offers or promotions or incentives)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:27
L37	0	(@AD < "20011211") AND ((string or vector or array) near10 length) and ((total near10 remaining) same (offers or promotions or incentives))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:27
L38	78	(@AD < "20011211") AND ((string or vector or array) near10 length) and (target\$ near10 (offers or promotions or incentives))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:29

L39	159	(@AD < "20011211") AND ((string or vector or array) near10 length) and (target\$ near10 (offer or promotions or incentives))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:30
L40	1358	(@AD < "20011211") AND (bit near10 string near10 length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:43
L41	0	(@AD < "20011211") AND ((bit near10 string near10 length) same (total near10 offers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:44
L42	0	(@AD < "20011211") AND ((bit near10 string near10 length) same (number near10 offers))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:44
L43	5	(@AD < "20011211") AND ((bit near10 string near10 length) same (offers or promotions))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 12:44
L44	46	(@AD < "20011211") AND ((bit near10 string) same (offers or promotions))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 13:15
L45	200	(@AD < "20011211") AND ((bit near10 string) same (count near10 number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 13:40
L46	100	(@AD < "20011211") AND ((bit near10 string) near10 (count near10 number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 13:40
L47	0	(@AD < "20011211") AND ((bit near10 string) near10 (count near10 number)) and (target\$ near10 (promotions or incentives or coupons))	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 13:41

L48	1	(@AD < "20011211") AND ((bit near10 string) near10 (count near10 number)) and (promotions or incentives or coupons)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 13:42
L49	0	(@AD < "20011211") AND ((bit near10 string near10 lenght) near10 counter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 13:43
L50	31	(@AD < "20011211") AND ((bit near10 string near10 length) near10 counter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 13:43
L51	24	(@AD < "20011211") AND ((bit near10 "1") near10 offer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 13:47
L52	519768	(@AD < "20011211") AND ("1" near1 "1" near1 "1")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 13:53
L53	39	(@AD < "20011211") AND ("1" near1 "1" near1 "1") and (target \$ near10 promotions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 13:53
L54	1916	(@AD < "20011211") AND ("1" near1 "1" near1 "1" near1 "0" near1 "0") and (offers or promotions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 14:32

12/ 5/ 2009 3:03:04 PM

C:\ Documents and Settings\ dlastra\ My Documents\ EAST\ Workspaces\ 10015548.wsp